

Anaphylaxis Policy

Member of Staff Responsible	Bursar
Date of Policy	July 22
Date for review	July 23
Approved By Governors	
Distribution:	All

1. Introduction

An allergy is a reaction by the body's immune system to substances that are usually harmless. The reaction can cause minor symptoms such as itching, sneezing or rashes but sometimes causes a much more severe reaction called anaphylaxis.

Anaphylaxis is a severe systemic allergic reaction. It is at the extreme end of the allergic spectrum. The whole body is affected often within minutes of exposure to the allergen, but sometimes it can be hours later. Causes often include foods, insect stings, or drugs.

Definition: *Anaphylaxis is a severe life threatening generalised or systemic hypersensitivity reaction.*

This is characterised by rapidly developing life-threatening airway / breathing / circulatory problems usually associated with skin or mucosal changes.

It is possible to be allergic to anything which contains a protein, however most people will react to a fairly small group of potent allergens.

Common UK Allergens include (but not limited to):-

Peanuts, Tree Nuts, Sesame, Milk, Egg, Fish, Latex, Insect venom, Pollen and Animal Dander.

This policy sets out Rokeby School will support pupils with allergies, to ensure they are safe and are not disadvantaged in any way whilst taking part in school life.

2. Role and Responsibilities

Parent responsibilities

- On entry to the school, it is the parent's responsibility to the school of any allergies. This information should include all previous severe allergic reactions, history of anaphylaxis and details of all prescribed medication. This information must be passed to the relevant members of staff, in particular the First Aid team.
- Parents are to supply a copy of their child's Allergy Action Plan ([BSACI plans](#) preferred) to school. If they do not currently have an Allergy Action Plan this should be developed as soon as possible in collaboration with a healthcare professional e.g. Schools nurse/GP/allergy specialist.
- Parents are responsible for ensuring any required medication is supplied, in date and replaced as necessary.

- Parents are requested to keep the school up to date with any changes in allergy management. The Allergy Action Plan will be kept updated accordingly.

3. Staff Responsibilities

- All staff will complete anaphylaxis training. Training is provided for all staff on a yearly basis and on an ad-hoc basis for any new members of staff.
- Staff must be aware of the pupils in their care (regular or cover classes) who have known allergies as an allergic reaction could occur at any time and not just at mealtimes. Any food-related activities must be supervised with due caution.
- Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.
- First Aider will ensure that the up to date Allergy Action Plan is kept with the pupil's medication.
- It is the parent's responsibility to ensure all medication is in date however the First Aider will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.
- First Aider keeps a register of pupils who have been prescribed an AAI and a record of use of any AAI(s) and emergency treatment given.

4. Pupil Responsibilities

- Pupils are encouraged to have a good awareness of their symptoms and to let an adult know as soon as they suspect they are having an allergic reaction.

5. Allergy Action Plans

Allergy action plans are designed to function as Individual Healthcare Plans for children with food allergies, providing medical and parental consent for schools to administer medicines in the event of an allergic reaction, including consent to administer a spare adrenaline auto-injector.

The school recommends using the British Society of Allergy and Clinical Immunology ([BSACI Allergy Action Plan](#)) to ensure continuity. This is a national plan that has been agreed by the BSACI, the Anaphylaxis Campaign and Allergy UK.

It is the parent/carer's responsibility to complete the allergy action plan with help from a healthcare professional (e.g. GP/School Nurse/Allergy Specialist) and provide this to the school.

6. Emergency Treatment and Management of Anaphylaxis

What to look for:

- swelling of the mouth or throat
- difficulty swallowing or speaking
- difficulty breathing
- sudden collapse / unconsciousness

- hives, rash anywhere on the body
- abdominal pain, nausea, vomiting
- sudden feeling of weakness
- strong feelings of impending doom

Anaphylaxis is likely if all of the following 3 things happen:

- **sudden onset** (a reaction can start within minutes) and **rapid progression of symptoms**
- **life threatening airway and/or breathing difficulties** and/or **circulation problems** (e.g. alteration in heart rate, sudden drop in blood pressure, feeling of weakness)
- **changes to the skin** e.g. flushing, urticaria (an itchy, red, swollen skin eruption showing markings like nettle rash or hives), angioedema (swelling or puffing of the deeper layers of skin and/or soft tissues, often lips, mouth, face etc.) Note: skin changes on their own are not a sign of an anaphylactic reaction, and in some cases do not occur at all

If the pupil has been **exposed to something they are known to be allergic to**, then it is more likely to be an anaphylactic reaction.

Anaphylaxis can develop very rapidly, so a treatment is needed that works rapidly. **Adrenaline** is the mainstay of treatment and it starts to work within seconds. Adrenaline should be administered by an **injection into the muscle** (intramuscular injection)

What does adrenaline do?

- It opens up the airways
- It stops swelling
- It raises the blood pressure

Adrenaline must be administered with the **minimum of delay** as it is more effective in preventing an allergic reaction from progressing to anaphylaxis than in reversing it once the symptoms have become severe.

ACTION:

- Stay with the child and call for help. **DO NOT MOVE CHILD OR LEAVE UNATTENDED**
- Remove trigger if possible (e.g. Insect stinger)
- Lie child flat (with or without legs elevated) – A sitting position may make breathing easier
- **USE ADRENALINE WITHOUT DELAY** and note time given. (inject at upper, outer thigh - through clothing if necessary)
- **CALL 999** and state **ANAPHYLAXIS**
- If no improvement after 5 minutes, administer second adrenaline auto-injector
- If no signs of life commence CPR
- Phone parent/carer as soon as possible

All pupils must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can reoccur after treatment.

7. Supply, storage and care of medication

All boys should have an anaphylaxis kit which is kept in the First Aid room. This kit is not locked away and must be **accessible to all staff**.

Medication should be stored in a rigid box and clearly labelled with the pupil's name and a photograph.

The pupil's medication storage box should contain:

- adrenaline injectors i.e. EpiPen® or Jext® (two of the same type being prescribed)
- an up-to-date allergy action plan
- antihistamine as tablets or syrup (if included on plan)
- spoon if required
- asthma inhaler (if included on plan).

It is the responsibility of the child's parents to ensure that the anaphylaxis kit is up-to-date and clearly labelled, however the First Aider will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.

Parents can subscribe to expiry alerts for the relevant adrenaline auto-injectors their child is prescribed, to make sure they can get replacement devices in good time.

Storage

AAIs should be stored at room temperature, protected from direct sunlight and temperature extremes.

Disposal

AAIs are single use only and must be disposed of as sharps. Used AAIs can be given to ambulance paramedics on arrival or can be disposed of in a pre-ordered sharps bin. Sharps bins to be obtained from and disposed of by a clinical waste contractor/specialist collection service/local authority (*delete as appropriate*). The sharps bin is kept in the First Aid room in the lower school and upper school.

8. 'Spare' adrenaline auto injectors in school

The school has purchased spare **adrenaline auto-injector (AAI) devices for emergency use in children who are risk of anaphylaxis**, but their own devices are not available or not working (e.g. because they are out of date). These are kept in the First Aid rooms in the lower school and upper school.

These are stored in a **GREEN** rigid box, clearly labelled 'Emergency Anaphylaxis Adrenaline Pen', kept safely, not locked away and **accessible and known to all staff**.

The school has eight emergency spare pens which are kept in the following location/s:-

1 adult, 1 paediatric AAI First Aid Lower School
1 adult, 1 paediatric AAI First Aid Upper School
1 adult, 1 paediatric AAI Dining Room by the exit door
1 adult, 1 paediatric AAI Rokeby Sports Ground

The school First Aider is responsible for checking the spare medication is in date on a monthly basis and to replace as needed.

Written parental permission for use of the spare AAIs is included in the pupil's Allergy Action Plan.

If anaphylaxis is suspected **in an undiagnosed individual** call the emergency services and state you suspect ANAPHYLAXIS. Follow advice from them as to whether administration of the spare AAI is appropriate.

9. Staff Training

The Bursar is responsible for ensuring all staff have anaphylaxis training and the upkeep of the school's anaphylaxis policy.

First Aid trainer/other Healthcare professional will conduct a practical anaphylaxis training session at the start of every new academic year. Training is also available on an ad-hoc basis for any new members of staff.

Training includes:

- Knowing the common allergens and triggers of allergy
- Spotting the signs and symptoms of an allergic reaction and anaphylaxis. Early recognition of symptoms is key, including knowing when to call for emergency services
- Administering emergency treatment (including AAIs) in the event of anaphylaxis – knowing how and when to administer the medication/device
- Measures to reduce the risk of a child having an allergic reaction
- Associated conditions e.g. asthma

10. Managing allergy action plans and ensuring these are up to date

The school is committed to ensuring that all children with medical conditions, including allergies, in terms of both physical and mental health, are properly supported in school so that they can play a full and active role in school life, remain healthy and achieve their academic potential.

11. Catering

The school menu is available for parents to view on a four weekly basis with all allergens highlighted.

The First Aider will inform the Catering Manager of pupils with food allergies.

Parents/carers are encouraged to meet with the Catering Manager to discuss their child's needs.

The school adheres to the following [Department of Health guidance](#) recommendations:

- Where food is provided by the school, staff should be educated about how to read labels for food allergens and instructed about measures to prevent cross contamination during the handling, preparation and serving of food. Examples include: preparing food for children with food allergies first; careful cleaning (using warm soapy water) of food preparation areas and utensils. For further information, parents/carers are encouraged to liaise with the Catering Manager.
- Foods containing nuts are not allowed on the school site.
- Use of food in crafts, cooking classes, science experiments and special events (e.g. fetes, assemblies, cultural events) needs to be considered and may need to be restricted/risk assessed depending on the allergies of particular children and their age.

12. School trips

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.

All the activities on the school trip will be risk assessed to see if they pose a threat to allergic pupils and alternative activities planned to ensure inclusion.

Overnight school trips may be possible with careful planning and a meeting for parents with the lead member of staff planning the trip should be arranged. Staff at the venue for an overnight school trip should be briefed early on that an allergic child is attending and will need appropriate food (if provided by the venue).

Sporting Excursions

Allergic children should have every opportunity to attend sports trips to other schools. The school will ensure that the Sports Department staff are fully aware of the situation. The school being visited will be notified that a member of the team has an allergy when arranging the fixture. A member of staff trained in administering adrenaline will accompany the team. If another school feels that they are not equipped to cater for any food-allergic child, the school will arrange for the child to take alternative/their own food.

13. Risk Assessment

The School will conduct a risk assessment to help keep any allergic children safe and for all new joining pupils with allergies and any pupils newly diagnosed.

[Template Risk Assessment](#)

14. Useful Links

Anaphylaxis Campaign- <https://www.anaphylaxis.org.uk>

- AllergyWise training for schools - <https://www.anaphylaxis.org.uk/information-training/allergywise-training/for-schools/>
- AllergyWise training for Healthcare Professionals <https://www.anaphylaxis.org.uk/information-training/allergywise-training/for-healthcare-professionals/>

Allergy UK - <https://www.allergyuk.org>

- Whole school allergy and awareness management (Allergy UK) <https://www.allergyuk.org/schools/whole-school-allergy-awareness-andmanagement>

Spare Pens in Schools - <http://www.sparepensinschools.uk>

Official guidance relating to supporting pupils with medical needs in schools: <http://medicalconditionsatschool.org.uk/documents/Legal-Situation-in-Schools.pdf>

Education for Health <http://www.educationforhealth.org>

Food allergy quality standards (The National Institute for Health and Care Excellence, March 2016) <https://www.nice.org.uk/guidance/qs118>

Anaphylaxis: assessment and referral after emergency treatment (The National Institute for Health and Care Excellence, 2020) <https://www.nice.org.uk/guidance/cg134?unlid=22904150420167115834>

Guidance on the use of adrenaline auto-injectors in schools (Department of Health, 2017) https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/645476/Adrenaline_auto_injectors_in_schools.pdf